AJV:ksa 7/25/05 407642 PATENT

Attorney Reference Number 6047-67518-01 Application Number 10/731,995

## Amendments to the Drawings

The attached two sheets of drawings include changes to Figs. 3 and 5A. These sheets replace the original sheets of drawings. Also attached are two sheets of annotated, marked-up drawings that indicate the changes made in the replacement sheets.

Attachment: Replacement sheets; annotated marked-up drawings.

AJV;kea 7/25/05 407642 PATENT Attorney Reference Number 6047-67518-01
Application Number 10/731,995

## Remarks

Reconsideration is requested in view of the preceding amendments and the following remarks. Claims 40-46, 49 and 56-59 are pending. Claims 40, 42-46, 49 and 56-59 are canceled without prejudice. Upon entry of this Amendment, claim 41 is in the application.

The Examiner objected to the drawings and noted that reference numerals 406, 411 and 413 of Fig. 4 appear in the figures, but not in the description. Accordingly, the specification has been amended to incorporate these numerals. Additional numerals referenced in the description but not appearing in the Figures have been added in two replacement drawing sheets. No new matter is introduced. In view of the amendment, the objection to the drawings should be withdrawn, and such action is respectfully requested.

Claim 41 was indicated as being allowable if amended to recite all features of the base claim and any intervening claim. Claim 41 has been so amended and is thus properly allowable. Such action is respectfully requested.

Applicants note that the Supplemental Information Disclosure Statements mailed on April 8, 2005, and on June 17, 2005, have not been acknowledged by the Examiner. Applicants respectfully request that the Examiner consider and initial the statements.

In view of the preceding amendment and remarks, the pending claim is in condition for allowance, and action to such end is requested. If any issues remain, the Examiner is requested to call the undersigned attorney.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

Вy

Registration No. 56,258

to Unice

One World Trade Center, Suite 1600 121 S.W. Salmon Street Portland, Oregon 97204

Telephone: (503) 595-5300 Facsimile: (503) 228-9446

A. Jonathan Vance, Klarquist Sparkman, LLP, 121 S.W. Salmon Street, Suite 1600
 Portland, Oregon 97:204 (503) 226-7391, Inventor (5): Bolken et al.
 Application No.: 10/731,995 Filed: December 9, 2003
 Title: PACKAGES FOR SEMICONDUCTOR DIE Docket No.: 6047-67518-01
 Page 2 of 3

## Annotated Marked-up Drawings





